CONTENTS OF VOLUME 39

Adams, J. B. See McAllan, J. W., 305.
Adorjan, A. See Freeman, R. S., 527.
Ali, M. A. Histophysiological studies on the juvenile Atlantic salmon (*Salmo salar*) retina. II. Responses to light intensities, wavelengths, temperatures, and continuous light or dark, 511.
Ali, M. A., Stevenson, W. R., and **Press, J. S.** Histophysiological studies on the juvenile Atlantic salmon (*Salmo salar*) retina. I. Rates of light- and dark-adaptation, 123.
Anderson, R. C. *Splendidofilaria wehri* n. sp. with a revision of *Splendidofilaria* and related genera, 201.
Study of two filarioid nematodes, *Chandlerella chitwoodae* n.sp. from *Padda oryzivora* (L.) and *Protofilaria furcata* Chandler, 1929, 317.
Further observations on *Diplotriaena* in birds, 377.
Arnold, J. W. Further observations on amoeboid haemocytes in *Blaberus giganteus* (L.) (Orthoptera: Blattidae), 755.
Battle, H. I. See Purko, J., 73.
Bennett, G. F. On the specificity and transmission of some avian trypanosomes, 17.
On three species of Hippoboscidae (Diptera) on birds in Ontario, 379.
See also Fallis, A. M., 215.
Berkeley, C. See Berkeley, E., 655.
Berkeley, E. and **Berkeley, C.** Notes on Polychaeta from California to Peru, 655.
Bider, J. R. An ecological study of the hare *Lepus americanus*, 81.
Bond, E. J. The action of fumigants on insects. I. The uptake of hydrogen cyanide by *Sitophilus granarius* (L.) during fumigation, 427.
The action of fumigants on insects. II. The effect of hydrogen cyanide on the activity and respiration of certain insects, 437.
Bourns, T. K. R. Schistosome cercaria in Ontario, 43.
Boyes, J. W. Somatic chromosomes of higher diptera. V. Interspecific and intraspecific variation in the Calliphoridae, 549.
Bradley, C. The effect of electrical stimulation at low temperatures on the larvae of *Phocanema decipiens*, 35.
The effect of certain chemicals on the response to electrical stimulation and the spontaneous rhythmical activity of larvae of *Phocanema decipiens*, 129.
Butler, T. H. Records of decapod Crustacea from British Columbia, 59.
Cameron, T. W. M. See Webster, G. A., 877.
Cameron, T. W. M. and **Myers, B. J.** The genus *Manistrongylus*—A correction, 910.
Chant, D. A. The effect of prey density on prey consumption and oviposition in adults of *Typhlodromus* (*T.*) *occidentalis* Nesbitt (Acarina: Phytoseiidae) in the laboratory, 311.
See also Turnbull, A. L., 697.
Ching, H. L. Three trematodes from the harlequin duck, 373.
Redescription of the digenetic trematodes *Lepidapedon calli* and *L. pugetensis* Acena, and new host records for *L. calli* and *Eurycreadium vitellosum* Manter from fishes of Washington State, 615.
Cottle, W. H. See Hart, J. S., 845.
Davis, G. R. F. The biting response of larvae of the prairie grain wireworm, *Ctenicera aeripennis destructor* (Brown) (Coleoptera: Elateridae), to various extracts of germinating rye seed, 299.
Dondale, C. D. Life histories of some common spiders from trees and shrubs in Nova Scotia, 777.
Duyvené de Wit, J. J. Hybridization experiments in rhodeine fishes (Cyprinidae, Teleostei). The interspecific hybrids of *Rhodeus ocellatus* from Japan and Korea, and *Rhodeus spinalis* from Taiwan, 487.
Edwards, D. K. Activity of two species of *Calliphora* (Diptera) during barometric pressure changes of natural magnitude, 623.
Engelbert, V. E. Thin preparations of hemopoietic tissues, 367.
Fairbairn, D. The in vitro hatching of *Ascaris lumbricoides* eggs, 153.
Fallis, A. M. and **Bennett, G. F.** Sporogony of *Leucocytozoon* and *Haemoproteus* in simuliids and ceratopogonids and a revised classification of the Haemosporidiida, 215.
Fisher, K. C. See Pengelley, E. T., 105.
Freeman, R. S., Adorjan, A., and **Pimlott, D. H.** Cestodes of wolves, coyotes, and coyote-dog hybrids in Ontario, 527.
Gibbs, H. C. Studies on the life cycle and developmental morphology of *Dochmoides stenocephala* (Railliet 1884) (Ancylostomidae: Nematoda), 325.

Gupta, S. P. The effects of temperature on the survival and development of the free-living stages of *Trichostrongylus retortaeformis* Zeder (Nematoda), 47.
The effects of ultraviolet radiation on the infective stages of *Trichostrongylus retortaeformis* Zeder (Nematoda), 137.
On some trematodes from the intestine of the marine turtle, *Chelone mydas*, from the Caribbean Sea, 293.
The life history of *Molineus barbatus* Chandler, 1942, 579.
Hart, J. S., Heroux, O., Cottle, W. H., and **Mills, C. A.** The influence of climate on metabolic and thermal responses of infant caribou, 845.
Harvey, H. H. Analysis of dissolved nitrogen in fish blood, 905.
Heroux, O. See Hart, J. S., 845.
Hochachka, P. W. The effect of physical training on oxygen debt and glycogen reserves in trout, 767.
Hopper, B. E. *Swangeria bisexualis* n. sp. (Belondiridae: Nematoda) from Florida, 69.
Marine nematodes from the coast line of the Gulf of Mexico, 183.
Marine nematodes from the coast line of the Gulf of Mexico, II, 359.
Hudson, A. See Orr, C. W. M., 265.
James, H. G. Some predators of *Aedes stimulans* (Walk.) and *Aedes trichurus* (Dyar) (Diptera: Culicidae) in woodland pools, 533.
Kasting, R. and **McGinnis, A. J.** Comparison of tissues from solid- and hollow-stemmed spring wheats during growth. II. Food values determined with the pale western cutworm, *Agrotis orthogonia* Morr. (Lepidoptera: Noctuidae), 273.
Lachance, P. See Meerovitch, E., 571.
Laird, M. Distomiasis in Tokelau islanders, 149.
A lack of avian and mammalian haematozoa in the Antarctic and Canadian Arctic, 209.
Microecological factors in oyster epizootics, 449.
Parasites from Northern Canada. II. Haematozoa of fishes, 541.
Urceolaria karyodactyla n. sp. (Ciliata: Peritricha) from *Ischnochiton ruber* (L.) at Saint Andrews, New Brunswick, 827.
Trichodinids and other parasitic protozoa from the intertidal zone at Nanaimo, Vancouver Island, 833.
Laird, M. and **Meerovitch, E.** Parasites from Northern Canada. I. Entozoa of Fort Chimo Eskimos, 63.
Lane, N. J. See Pelluet, D., 789.
Lowther, J. K. Polymorphism in the white-throated sparrow, *Zonotrichia albicollis* (Gmelin), 281.
McAllan, J. W. and **Adams, J. B.** The significance of pectinase in plant penetration by aphids, 305.
McFarlane, J. E. Tyrosinase and the structure of the egg shell of *Acheta domesticus* (L.), 1.
See also Ritchot, C., 11.
McGinnis, A. J. See Kasting, R., 273.
McKiel, J. A. and **West, A. S.** Effects of repeated exposures of hypersensitive humans and laboratory rabbits to mosquito antigens, 597.
MacKinnon, J. P. Preference of aphids for excised leaves to whole plants, 445.
MacPhee, A. W. Mortality of winter eggs of the European red mite *Panonychus ulmi* (Koch), at low temperatures, and its ecological significance, 229.
Meerovitch, E. See Laird, M., 63.
Meerovitch, E. and **Lachance, Bro. P.** A method for separating amoebic cysts from mixtures of trophozoites and cysts in cultures, 571.
Mills, C. A. See Hart, J. S., 845.
Mohsin, S. M. The morphology and histology of the alimentary canal of *Glossogobius giurus* (Ham.), 605.
Mulvey, R. H. The Mononchidae: A family of predaceous nematodes. I. Genus *Mylonchulus* (Enoplida: Mononchidae), 665.
The Mononchidae: A family of predaceous nematodes. II. Genus *Anatonchus* (Enoplida: Mononchidae), 807.
Myers, B. J. Helminth parasites of reptiles, birds, and mammals of Egypt. VI. *Dentostomella kuntzi* n. sp., a new oxyurid nematode from *Acomys* spp., 55.
See also Cameron, T. W. M., 910.
Orlob, G. B. Biology and taxonomy of cereal and grass aphids in New Brunswick (Homoptera: Aphididae), 495.
Orr, C. W. M., Hudson, A., and **West, A. S.** The salivary glands of *Aedes aegypti*. Histological–histochemical studies, 265.
Pelluet, D. and **Lane, N. J.** The relation between neurosecretion and cell differentiation in the ovotestis of slugs (Gasteropoda: Pulmonata), 789.

Pengelley, E. T. and **Fisher, K. C.** Rhythmical arousal from hibernation in the golden-mantled ground squirrel, *Citellus lateralis tescorum*, 105.
Pimlott, D. H. See Freeman, R. S., 527.
Press, J. S. See Ali, M. A., 123.
Purko, J. and **Battle, H. I.** Effects of some purines on development of the brown trout (*Salmo trutta fario* L.), 73.
Riegert, P. W. Embryological development of a nondiapause form of *Melanoplus bilituratus* Walker (Orthoptera: Acrididae), 491.
Rigler, F. H. The relation between concentration of food and feeding rate of *Daphnia magna* Straus, 857.
Ritchot, C. and **McFarlane, J. E.** The B vitamin requirements of the house cricket, 11.
Rivard, I. Influence of temperature and humidity on mortality and rate of development of immature stages of the mite *Tyrophagus putrescentiae* (Schrank) (Acarina: Acaridae) reared on mold cultures, 419.
Influence of temperature and humidity on longevity, fecundity, and rate of increase of the mite *Tyrophagus putrescentiae* (Schrank) (Acarina: Acaridae) reared on mold cultures, 869.
Robertson, J. G. Ovariole numbers in Coleoptera, 245.
Salkeld, E. H. The distribution and identification of esterases in the developing embryo and young nymph of the large milkweed bug, *Oncopeltus fasciatus* (Dall.), 589.
Salt, R. W. A comparison of injury and survival of larvae of *Cephus cinctus* Nort. after intracellular and extracellular freezing, 349.
Sanwal, K. C. A key to the species of the nematode genus *Aphelenchoides* Fischer, 1894, 143.
Aphelenchoides subparietinus n. sp. (Nematoda: Aphelenchoididae) from diseased lily bulbs, 573.
Saunders, R. L. The irrigation of the gills in fishes. I. Studies of the mechanism of branchial irrigation, 637.
Stanley, J. Two techniques of use in the control of *Triboliocystis garnhami*, 121.
Stark, R. W. Notes on the parasite complex of *Evagora* (*Recurvaria*) *starki* Freeman in Canadian Rocky Mountain parks, 893.
Stevenson, W. R. See Ali, M. A., 123.
Turnbull, A. L. and **Chant, D. A.** The practice and theory of biological control of insects in Canada, 697.
Waseem, M. Two new species of the genus *Helicotylenchus* Steiner, 1945 (Nematoda: Hoplolaiminae), 505.
Webster, G. A. and **Cameron, T. W. M.** Observations on experimental infections with *Echinococcus* in rodents, 877.
West, A. S. See McKiel, J. A., 597; Orr, C. W. M., 265.
Williams, T. D. *Xiphinema bakeri* n. sp. (Nematoda: Longidorinae) from the Fraser River Valley, British Columbia, Canada, 407.
The female reproductive system of *Longidorus elongatus* (de Man, 1876) Thorne and Swanger, 1936 (Nematoda: Longidorinae), with a note on the genera *Longidorus* (Micoletzky, 1922) Thorne and Swanger, 1936, and *Xiphinema* Cobb, 1913, 413.
Wright, K. A. Observations on the life cycle of *Capillaria hepatica* (Bancroft, 1893) with a description of the adult, 167.
Wu, L. Y. *Paratylenchus tenuicaudatus* n. sp. (Nematoda: Criconematidae), 163.